



Everything
Refrigeration

ICEBERG

COMMERCIAL DISPLAY



Welcome

Version 1.0

COMPANY PROFILE



Our Brand, ICEBERG, has been in the market for over 30 years (since 1987). We specialize in the manufacturing of commercial refrigeration units for Pastry houses, Coffee shops, Restaurants & Supermarkets. Our standard models & sizes provide customers with a wide range to ensure proper selection of units that suit their needs and space.

Special customers require special needs. With our custom department, we can produce specially designed units that suit the customer requirements while still maintaining ICEBERG's famous stable cooling techniques.

All units are manufactured with the latest field technologies and standards in order to provide maximum efficiency, durability and of course longest lifetime with the best quality finish.

All products are covered with a standard one (1) year warranty. We also offer extended warranty to help our clients focus more on their business and leave their maintenance on us.

EXPORTING GLOBALLY

North America

Canada,
United States

Africa

Libya, Algeria,
Morocco, Sudan,
South Africa, etc

Europe

Ireland, Ukraine,
Romania, etc

Asia

UAE, Saudia Arabia,
Lebanon, Palestine, etc

We export globally to 22 countries.

STANDARD MODELS

01

PASTRY

- Horizontal Showcases
- Vertical Showcases

02

SUPERMARKET


- Multiple Doors
- Multi-decks
- Deli/Butchers units

03

KITCHEN

- Upright Refrigerators & Freezers
- Undercounters Refrigerators & Freezers
- Deep Freezers

CUSTOM DESIGN



YOUR UNIT, YOUR WAY

Our custom design team will cover all your requirements.



kitchen

ICE
REFRIGERATOR SERIES



0°C



ICE 1 Door Refrigerator

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

ICE 1 DOOR REFRIGERATOR

- Length: 70 cm
- Width: 80 cm
- Height: 210 cm

Technical Performance

- One (1) Solid door refrigerator
- 304 Stainless steel exterior except back, motor base and bottom
- 304 Stainless steel interior
- Four (4) adjustable heavy duty Stainless steel wire shelves
- Heavy duty self close hinged doors
- Built-in Stainless steel handles
- 5 cm high density insulation across the back, top and sides
- 6 cm high density insulation across the bottom
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless steel chase on 3" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range up to 0°C
- New and unique style and design
- Power: 240 Volts; 0.5kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior & Interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

0°C



ICE 2 Door Refrigerator

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

ICE 2 DOOR REFRIGERATOR

- Length: 140 cm
- Width: 80 cm
- Height: 210 cm

Technical Performance

- Two (2) Solid doors refrigerator
- 304 Stainless steel exterior except back, motor base and bottom
- 304 Stainless steel interior
- Four (4) adjustable heavy duty Stainless steel wire shelves per door
- Heavy duty self close hinged doors
- Built-in Stainless steel handles
- 5 cm high density insulation across the back, top and sides
- 6 cm high density insulation across the bottom
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless steel chase on 3" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0°C
- New and unique style and design
- Power: 240 Volts; 0.7kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

ICE FREEZER SERIES



-20°C



ICE 1 Door Freezer

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

ICE 1 DOOR FREEZER

- Length: 70 cm
- Width: 80 cm
- Height: 210 cm

Technical Performance

- One (1) Solid door freezer
- 304 Stainless steel exterior except back, motor base and bottom
- 304 Stainless steel interior
- Four (4) adjustable heavy duty Stainless steel wire shelves
- Heavy duty self close hinged doors
- Built-in Stainless steel handles
- 7 cm high density insulation across the back, top and sides
- 7 cm high density insulation across the bottom
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless steel chase on 3" Castors
- Gas R404A
- Ambient Temp 32°C at RH 60%
- Temperature range up to -20°C
- New and unique style and design
- Power: 240 Volts; 0.8kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior & Interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

-20°C



ICE 1 Door

Freezer (Static)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

ICE 1 DOOR FREEZER (STATIC)

- Length: 70 cm
- Width: 80 cm
- Height: 210 cm

Technical Performance

- One (1) Solid door Freezer
- 304 Stainless steel exterior except back, motor base and bottom
- 304 Stainless steel interior
- Four (4) fixed heavy duty Stainless steel wire shelves with copper tubes
- Heavy duty self close hinged doors
- Built-in Stainless steel handles
- 7 cm high density insulation across the back, top and sides
- 7 cm high density insulation across the bottom
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Static Cooling system
- Stainless steel chase on 3" Castors
- Gas R404A
- Ambient Temp 32°C at RH 60%
- Temperature range up to -20°C
- New and unique style and design
- Power: 240 Volts; 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior & Interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

-20°C



ICE 2 Door Freezer (Static)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

ICE 1 DOOR FREEZER

- Length: 70 cm
- Width: 80 cm
- Height: 210 cm

Technical Performance

- One (1) Solid door freezer
- 304 Stainless steel exterior except back, motor base and bottom
- 304 Stainless steel interior
- Four (4) adjustable heavy duty Stainless steel wire shelves
- Heavy duty self close hinged doors
- Built-in Stainless steel handles
- 7 cm high density insulation across the back, top and sides
- 7 cm high density insulation across the bottom
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless steel chase on 3" Castors
- Gas R404A
- Ambient Temp 32°C at RH 60%
- Temperature range up to -20°C
- New and unique style and design
- Power: 240 Volts; 0.8kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior & Interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

SLIDER



Very Economic



0°C

SLIDER

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

SLIDER

- Length: 120 cm
- Width: 60 cm
- Height: 200 cm

Technical Performance

- Six (6) shelves refrigerated upright display
- 304 Stainless steel exterior except back, motor base and bottom
- Electrostatic Galvanized metal sheet interior
- Five (5) adjustable heavy duty electrostatic galvanized steel wire shelves per door
- 2 Sets of individual thin Aluminum sliding doors with wheels to minimize friction
- 5 cm high density insulation across the back, top and sides
- 6 cm high density insulation across the bottom
- Steel chase on 3" Castors
- 304 Stainless Steel interior floor
- Digital Electronic Thermostat
- Ambient temp 25°C at RH 50%
- Gas R134A / R404A
- Temperature range from 0°C to 8°C
- Low noise with dynamic air flow
- Power: 240 Volts; ranges from 0.3kw to 0.5kw

Made by ICEBERG

using thoroughly tested local & imported components

PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

Economic



0°C

SUPER SLIDER

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

SUPER SLIDER

- Length: 140 cm
- Width: 70 cm
- Height: 230 cm

Technical Performance

- Six (6) shelves refrigerated upright display
- 304 Stainless steel exterior except back, motor base and bottom
- Electrostatic Galvanized metal sheet interior
- Five (5) adjustable heavy duty electrostatic galvanized steel wire shelves per door
- 2 Sets of individual thin Aluminum sliding doors with wheels to minimize friction
- 5 cm high density insulation across the back, top and sides
- 6 cm high density insulation across the bottom
- Steel chase on 3" Castors
- 304 Stainless Steel interior floor
- Digital Electronic Thermostat
- Ambient temp 25°C at RH 50%
- Gas R134A / R404A
- Temperature range from 0°C to 8°C
- Low noise with dynamic air flow
- Power: 240 Volts; ranges from 0.3kw to 0.5kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel

Exterior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

UNDERCOUNTER BACK MOTOR





0°C

**UNDERCOUNTER
BACK MOTOR
UT (1) Door**

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 70 (1 Door)

- Length: 70 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- One (1) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



0°C

**UNDERCOUNTER
BACK MOTOR
UT (2) Door**

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 120 (2 Door)

- Length: 120 cm
- Width: 76 cm
- Height: 90 cm
- (Optional Height: 85 cm)

Technical Performance

- Two (2) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



0°C

UNDERCOUNTER BACK MOTOR UT (3) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UCT 150 (3 Door)

- Length: 150 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Three (3) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by **ICEBERG**
using thoroughly tested local & imported components



0°C

UNDERCOUNTER BACK MOTOR UT (4) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UCT 180 (4 Door)

- Length: 180 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Four (4) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0°C to 8°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**
using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

UNDERCOUNTER
FREEZER BACK MOTOR





 -20°C

UNDERCOUNTER BACK MOTOR UT (1) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 70 (1 Door)

- Length: 70 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- One (1) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature reach up to -20°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



 -20°C

UNDERCOUNTER BACK MOTOR UT (2) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 120 (2 Door)

- Length: 120 cm
- Width: 76 cm
- Height: 90 cm
- (Optional Height: 85 cm)

Technical Performance

- Two (2) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature reach up to -20°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



 -20°C

UNDERCOUNTER BACK MOTOR UT (3) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UCT 150 (3 Door)

- Length: 150 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Three (3) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature reach up to -20°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



-20°C

UNDERCOUNTER BACK MOTOR UT (4) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UCT 180 (4 Door)

- Length: 180 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Four (4) Door undercounter refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature reach up to -20°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

UNDERCOUNTER
GLASS DOOR





UNDERCOUNTER GLASS DOOR UTBC (1)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 70 (1 Door)

- Length: 70 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- One (1) Door Undercounter glass display refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf per door
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



UNDERCOUNTER GLASS DOOR UTBC (2)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 120 (2 Door)

- Length: 120 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Two (2) Door Undercounter glass display refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf per door
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



UNDERCOUNTER GLASS DOOR UTBC (3)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 150 (3 Door)

- Length: 150 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Three (3) Door Undercounter glass display refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf per door
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0°C to 8°C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components



UNDERCOUNTER GLASS DOOR UTBC (4)

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UT 200 (4 Door)

- Length: 200 cm
- Width: 76 cm
- Height: 90 cm
(Optional Height: 85 cm)

Technical Performance

- Four (4) Door Undercounter glass display refrigerated storage
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf per door
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Stainless Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

Available Colors

Stainless Steel exterior

with Stainless Steel interior

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG
using thoroughly tested local & imported components

MAKE TABLE UNDERCOUNTERS





MAKE TABLE UNDERCOUNTER (1) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UTMT 70 (1 Door)

- Length: 70 cm
- Width: 76 cm
- Height: 90 cm + 6 cm

Technical Performance

- One (1) Door Undercounter Make Table for Salad, Sandwich or Pizza preparation
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

More Technical Performance

- Comes in either 1 row or 2 rows of GNs
- GN bins are lifted 3 cms off the working table to avoid spillage
- Unique structured Stainless steel cover covering all GNs after usage
- 5 cm high density insulation across the back, top, sides & bottom

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by **ICEBERG**
using thoroughly tested local & imported components



MAKE TABLE UNDERCOUNTER (2) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UTMT 120 (2 Door)

- Length: 120 cm
- Width: 76 cm
- Height: 90 cm + 6 cm

Technical Performance

- Two (2) Door Undercounter Make Table for Salad, Sandwich or Pizza preparation
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

More Technical Performance

- Comes in either 1 row or 2 rows of GNs
- GN bins are lifted 3 cms off the working table to avoid spillage
- Unique structured Stainless steel cover covering all GNs after usage
- 5 cm high density insulation across the back, top, sides & bottom

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by **ICEBERG**
using thoroughly tested local & imported components



MAKE TABLE UNDERCOUNTER (3) Door

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UTMT 150 (3 Door)

- Length: 150 cm
- Width: 76 cm
- Height: 90 cm + 6 cm

Technical Performance

- Three (3) Door Undercounter Make Table for Salad, Sandwich or Pizza preparation
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by **ICEBERG**

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

More Technical Performance

- Comes in either 1 row or 2 rows of GNs
- GN bins are lifted 3 cms off the working table to avoid spillage
- Unique structured Stainless steel cover covering all GNs after usage
- 5 cm high density insulation across the back, top, sides & bottom

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by **ICEBERG**
using thoroughly tested local & imported components



MAKE TABLE UNDERCOUNTER

(4) Door
• Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

UTMT 183 (4 Door)

- Length: 183 cm
- Width: 76 cm
- Height: 90 cm + 6 cm

Technical Performance

- Undercounter Make Table for Salad, Sandwich or Pizza preparation
- 304 Stainless Steel exterior except back, motor base and bottom
- 304 Stainless Steel interior
- Back motor to maximize frontal usage
- Self Close heavy duty hinged doors with 90 degree stop for refilling
- One (1) adjustable heavy duty white / grey Galvanized wire shelf
- Digital Electronic Thermostat
- LED interior lighting triggered when a door opens
- Dynamic Cooling system
- Steel chase on 2" Castors
- Gas R134A
- Ambient Temp 32°C at RH 60%
- Temperature range 0 C to 8 C
- New and unique style and design
- Power: 240 Volts; ranges from 0.3kw to 0.6kw

Made by ICEBERG

using thoroughly tested local & imported components



PRODUCT SPECIFICATIONS

More Technical Performance

- Comes in either 1 row or 2 rows of GNs
- GN bins are lifted 3 cms off the working table to avoid spillage
- Unique structured Stainless steel cover covering all GNs after usage
- 5 cm high density insulation across the back, top, sides & bottom

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by **ICEBERG**
using thoroughly tested local & imported components

DEEP FREEZER





DEEP FREEZER

- Cold Display

PRODUCT SPECIFICATIONS

Available Standard Sizes

DEEP FREEZER 200

- Length: 200 cm
- Width: 100 cm
- Height: 100 cm

Technical Performance

- Extra large capacity @ 1200 Liters
- Two (2) hinged top doors
- Heavy duty handles
- 304 Stainless Steel interior
- Electrostatic Galvanized metal sheets exterior
- Static Cooling unit (Manual defrost)
- Motor placed on the right side of the unit
- Steel chase on 2" Castors
- Digital Electronic Thermostat
- Ambient temp 25°C at RH 50%
- Gas R134A or 404A
- Temperature range from -15°C to -22°C
- Low noise
- Power: 240 Volts; 0.6kw

Made by ICEBERG

using thoroughly tested local & imported components

PRODUCT SPECIFICATIONS

Available Colors

Grey

with matching fixtures

Other colors are available upon request

with matching fixtures

Warranty

One (1) Year Unlimited warranty on all parts & labour

Optional extended warranty

Enjoy an additional one (1) Year Unlimited warranty on all parts & labour at a very low cost

Register your product

Register your product online & receive an additional 90 days extended warranty absolutely free
www.iceberg.com.eg/register

Made by ICEBERG

using thoroughly tested local & imported components



COMMERCIAL DISPLAY

Factory & Showroom

9 Nasr Abdel Wahab St.,
Next to Mercedes-Benz Service (GAS)
Al Salam Industrial Zone,
Cairo, Egypt

المصنع والمعرض

٩ شارع نصر عبد الوهاب
بجوار خدمة توكيل مرسيدس
المنطقة الصناعية، حي السلام
القاهرة، مصر

For quotations or inquires: sales@iceberg.com.eg

Hotline: +2-012-03-4444-80

www.iceberg.com.eg